

EVERY BLIND PERSON

DESERVES TO MOVE AROUND FREELY IN PUBLIC



**WE MANUFACTURE
TACTILE TILE & BRAILLE SIGN**

MADE IN INDIA FOR THE WORLD.

signxpressindia.com



 **+91 9810032137**

 **info@signxpressindia.com**

 **RZ-8, Uttam Nagar East,
New Delhi - 110059. India.**



Who We Are

Signxpress India is a leading manufacturer and supplier of accessibility and safety solutions, dedicated to building inclusive, barrier-free environments. With our headquarters in New Delhi, we serve clients across government, public, and private sectors in India and globally.

What We Do

We design, manufacture, and deliver a wide range of accessibility and safety products, including :

1. PU, PVC, SS & ABS Tactile Tiles
2. Tactile Studs & Directional Strips
3. Braille Signage (Acrylic, SS, MDF)
4. Lift Braille Labels & Wayfinding Signs
5. Stainless Steel Grab Bars & Accessible Hardware
6. Road Safety Products: Speed Breakers, Road Studs, Reflective Tapes,
7. Sign Boards
8. We also undertake end-to-end projects, from consultation and design to installation and after-sales support.

Why We Do It

We are driven by a commitment to accessibility, inclusion, and safety. In support of the **Accessible India Mission (Sugamya Bharat Abhiyan)**, our goal is to empower individuals with disabilities and improve public infrastructure to be usable by all.

We make India an accessible & inclusive country for people with disability and make the public infrastructure more safer for everyone with Accessible & Road Safety Products.

At Signxpress India, we're committed to providing organizations of all sizes and types with quality interior signage and Road Safety Products. No matter what industry you're in, you can trust our team to help you with your next sign project and ensure the displays you order fit your unique needs.

Here are just some of the markets we serve:

- **Govt. & Private Projects** – We specialize in govt. and pvt. project execution excellence.
- **Sign Shops & Wholesale** – Become a wholesale partner or Braille signage reseller!
- **Contractor** – Take newly constructed and renovated buildings to the next level.
- **Elementary & High Schools** – Create an inclusive environment for all students.
- **Colleges & Universities** – Improve wayfinding and accessibility across campus.
- **Hotel** – Ensure the safety of guests while providing a welcoming atmosphere.
- **Apartment** – Develop a sense of community among residents in your complex.
- **Assisted Living** – Help make residents at your facility feel at home and at ease.
- **Health Care** – Simplify navigation for patients, new staff members, and visitors.
- **And more!**





Our Registrations and Certifications

GST Certified

MCD Licence Holder

Import Export Code

ISO 9001 Certified

ISO 14001 Certified

ISO 23600 Certified

IS 18296 Certified

CE Certified

BIS ISI mark Approved material

PWD Delhi Approved

DSIIDC Approved

Cpwd Approved

Railway Approved

Govt. of India Certified and Tested

Worldwide Shipping

Door Delivery

Bulk order Accepted

Customization Available in Tactile and Braille Sign

International

01. Bhutan Convention Center - Bhutan
02. Unicef - Sri Lanka
03. Kuwait - Saudi Arab
04. Romania - UK
05. Poland - UK

Banks & Corportate Offices

01. ITC Green Center - Bengaluru
02. Amazon Warehouse - Manesar, HR
03. Nestle R&D Center - Manesar, HR
04. Reserve Bank of India - Mumbai
05. HDFC Banks - Vijaywada
06. PNB Banks - Delhi
07. Canera Banks - Chennai
08. SBI Banks - Arunachal Pradesh
09. DLF Downtown - Chennai
10. Vigyan Bhawan - Govt. of India, Delhi
11. Blind Relief Association - New Delhi
12. National Homeopathy - New Delhi

Govt. Hospitals

01. Guru Gobind Singh Hospital - New Delhi
02. G.B. Panth Hospital - New Delhi
03. RML Hospital - New Delhi
04. Delhi Govt. Dispensary 25 Centers - New Delhi

Judicial Courts

01. Supreme Court of India - New Delhi
02. Tis Hazari Court - New Delhi
03. District Court - Ahmedabad, Gujarat

Airport, Railways, Bus Stops, Metros

01. Namo Bharat Rail RRTS Delhi-Merrut
02. Delhi Shahdara Railway Station - Delhi
03. Beohari Railway Station - MP
04. Reva Railway Station - MP
05. Pipariya Railway Station - MP
06. Sheora Railway Station - MP
07. Jabalpur Railway Station - MP
08. Katni Railway Station - MP
09. Bus Stops - Saurashtra
10. Tuticorin Airport Project - Tamil Nadu
11. Ayodhya Airport - Uttar Pradesh]
12. NDMC Toilets
13. Chennai Metro Rail Corporation - Chennai

School, College, Institutes

01. IIT - Delhi
03. IIT - Kharagpur
04. DSIIDC Offices
05. PWD Guest House - Rewari
06. All PWD Schools - New Delhi
07. All PWD Hospitals - New Delhi
08. CPWD Community Center/Society
09. IAS office - Goa
10. Post office - Tamil Nadu
11. Maharaj Suraj Mal University - Bharatpur
12. Guru Teg Bahadur University - New Delhi
13. Post Office - Haryana
14. Post Office - Meghalaya
15. CBI Office -Jammu & Kashmir
16. Ministry of Social Justice and Empowerment - New Delhi

Advantage of PU Tactile Tiles



It is a state-of-the-art design **ground surface indicator for the vision impaired and the differently-abled**. This unique product is a very new concept in India and **it is ideal for use both in indoor and outdoor applications to create a barrier-free environment**. These tiles can be installed in minutes by peel-and-bond technology, but still provide long lasting solution. It is being manufactured as per **CPWD & ISO 23599:2019** specifications.

MATERIAL

The Tactile is Manufactured from 100% Virgin Certified TPU Material.

QUALITY

PU TACTILE TILE-STRIP-STUD are manufactured in Approved Standard Guidelines. Used strong & High-Quality self-adhesive ensures perfect bonding.

INSTALLATION METHOD




PU Tactile can be installed on any smooth surface by just peel and bond method i.e. just peel off the back side sticker and fix the tile on the floor firmly. The alignment should be checked properly while installing the tiles and there should not be any gap left in between the adjacent tiles. **Prior to the installation, it is necessary to make the surface level smooth and in order by attending repairs if any so that fixing of PU Tactile may be ensured by the technical team at site.**



COMPARISON BETWEEN CERAMIC AND PU TACTILE

Ceramic Tactile	Polyurethane Tactile
Non self adhesive	Self Adhesive
Installation takes a lot of time	Installation is very quick
Color fades away	No color fading
Less color availability	Available in different colours
Feels hard	Feels soft
Prone to crack	Crack will not rise
Less friction	Very high friction
Low luminance contrast	High luminance contrast
Can be Installed only on chipped surface	Can be install on any surface metal, wooden, concrete, granite etc.



PRODUCT DATA

Parameters	Specifications
Dimensions	300 mm X 300 mm
Product weight	300 g Appx
ISO 23599-2019	Compliant
Materials	Polyurethane
UV Stability	Yes
Warranty	5 years
Life Expectancy	7-10 years
Indoor use	Yes
Outdoor use	Yes
Adhesive	Tissue or Butyl d/s tape

APPLICATIONS

(Under salient features of the rights of persons with disabilities act, 2016 section 40 to 46)

**RAMPS • BUS STOPS • CAR PARKS • ZEBRA CROSSINGS • RAILWAY PLATFORMS
ESCALATOR ENTRANCES • SCHOOLS • HOSPITALS • OVERHEAD HAZARDS • TOILET
STAIRWAYS • SWIMMING POOL • LIFT ENTRANCE • DOOR ENTRANCE • FIRE ESCAPES**

DISADVANTAGE OF CERAMIC TACTILE TILES



Prone to crack



Feels hard



Low luminance contrast



Less color availability



Color fades away



Can be Installed only on
chipped surface



Installation takes a lot of time



Non self adhesive

**REPLACE TODAY WITH SIGNXPRESS INDIA
ABS TACTILE TILE 7MM TO 60MM AVAILABLE**



PU TACTILE TILE 101 TT

PU Tactile Tile with Self-adhesive Tissue Tape

TISSUE TAPE HIGH BOND TAPE

TISSUE TAPE BEST FOR INDOOR

ONLY FOR DRY & SMOOTH SURFACES
STONE, TIMBER, VITRIFIED, GLASS



Dimensions	: 300 x 300 x 7 mm
Raw Material	: Polyurethane UV Stabilized & Stain Resistant
Tile Pattern	: Anti-skid Concentric / Linear Pattern
Self-adhesive Tape	: 140µ Tissue Tape
Suitable Substrates	: Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing	: Peel & Paste (No Civil Work required)



Peel & Paste


PU TACTILE TILE 101 BT

PU Tactile Tile with Strong Butyl Tape
+Washer and Screw

BUTYL TAPE SCREW

BUTYL TAPE+ SCREW BEST FOR OUTDOOR

DRILL & FIXED GETS STRONG FIXING
DRY SURFACES
RCC, KOTA, CEMENT



Dimensions	: 300 x 300 x 7 mm
Raw Material	: Polyurethane UV Stabilized & Stain Resistant
Tile Pattern	: Anti-skid Concentric / Linear Pattern
Self-adhesive Tape	: 1mm Butyl Rubber Tape
Suitable Substrates	: Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing	: Peel & Paste (No Civil Work required)



Peel & Paste


ABS TACTILE TILE 101 ABS

ABS Tactile Tile Cast-in-Place

ABS TACTILE
NEVER CRACKED
NEVER COLOR FADE
100% COMPLIANCE

ABS TACTILE BEST FOR PATHWAY

FILLED WITH CONCRETE
PAVER BLOCKS, RCC-BITUMEN ROADS
FOR STRONG LONG LASTING RESULT



Dimensions	: 300 x 300 x 7-60mm
Raw Material	: UV Stabilized & Stain Resistant
Tile Pattern	: Anti-skid Concentric / Linear Pattern
Suitable Substrates	: Paver Blocks, Bitumen Road, RCC Roads
Fixing	: Filled With Cement, Concrete Mixture



REPLACE WITH
EXCITING
CERAMIC TILES




PU TACTILE TILES STRIPS AND STUDS



PU TACTILE TILE 102 STM

STEM

PUT-STRP-B (4 STEM)




Dimensions : 280 x 35 x 5 mm / Stem 22 mm
Raw Material : Polyurethane UV Stabilized & Stain Resistant
Self-adhesive : 140µ Tissue Tape / 4 Stems
Strip Pattern : Strip with Anti-skid Linear Pattern
Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing : Peel & Paste (No Civil Work required) / 4 Stems drill & fix

PU TACTILE TILE 102 SA

SELF-ADHESIVE

PUT-STRP-A (TISSUE)




Dimensions : 280 x 35 x 5 mm / Stem 22 mm
Raw Material : Polyurethane UV Stabilized & Stain Resistant
Self-adhesive : 140µ Tissue Tape / 4 Stems
Strip Pattern : Strip with Anti-skid Linear Pattern
Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing : Peel & Paste (No Civil Work required) / 4 Stems drill & fix

PU TACTILE STUD 103 STM

STEM

PUT-STD-B (STEM)




Dimensions : 35 x 5 mm / Stem 22 mm
Raw Material : Polyurethane UV Stabilized & Stain Resistant
Self-adhesive : 140µ Tissue Tape / 1 Stems
Stud Pattern : Stud with Anti-skid Concentric Rings Pattern
Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing : Peel & Paste (No Civil Work required) / 1 Stem drill & fix

PU TACTILE STUD 103 SA

SELF-ADHESIVE

PUT-STD-A (TISSUE)



Dimensions : 35 x 5 mm / Stem 22 mm
Raw Material : Polyurethane UV Stabilized & Stain Resistant
Self-adhesive : 140µ Tissue Tape / 1 Stems
Stud Pattern : Stud with Anti-skid Concentric Rings Pattern
Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing : Peel & Paste (No Civil Work required) / 1 Stem drill & fix



SCHOOLS

OFFICES

HOTELS


HOSPITALS



SS TACTILE TILE 104 SLD

#SOLID

Premium Quality Heavy Duty




Dimensions : 300 x 300 x 2 mm
Raw Material : Stainless Steel 304 & 316 Grade
Tile Pattern : Anti-skid Concentric / Linear Pattern
Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing : Drill and Screw

SS TACTILE TILE 104 SHT

#SHEET

Affordable Light Weight




Dimensions : 300 x 300 x 0.8 mm
Raw Material : Stainless Steel 304 & 316 Grade
Tile Pattern : Anti-skid Concentric / Linear Pattern
Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing : Drill and Screw

SS TACTILE STRIP 105 SLD

#SOLID

Premium Quality Heavy Duty




Dimensions : 280 x 35 x 4.5 mm / Stem 12 mm
Self-adhesive : 3M VHB Tape / 3 Stems
Strip Pattern : Strip with Anti-skid Linear Pattern
Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing : Peel & Paste (No Civil Work required) / 3 Stems drill & fix

SS TACTILE STRIP 105 SHT

#SHEET


Affordable Light Weight



Dimensions : 280 x 35 x 4.5 mm / Stem 12 mm
Self-adhesive : 3M VHB Tape / 3 Stems
Strip Pattern : Strip with Anti-skid Linear Pattern
Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing : Peel & Paste (No Civil Work required) / 3 Stems drill & fix

PU TACTILE STUD 106 SLD

#SOLID




Dimensions : 35 x 4.5 mm / Stem 12 mm
Self-adhesive : 3M VHB Tape / 1 Stems
Tile Pattern : Stud with Anti-skid Concentric Rings Pattern
Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing : Peel & Paste (No Civil Work required) / 1 Stem drill & fix

PU TACTILE STUD 106 SHT

#SHEET

Filled With
Epoxy Hardener




Dimensions : 35 x 4.5 mm / Stem 12 mm
Self-adhesive : 3M VHB Tape / 1 Stems
Tile Pattern : Stud with Anti-skid Concentric Rings Pattern
Suitable Substrates : Stone / Masonry / Timber / Vitrified / Glass / Metals
Fixing : Peel & Paste (No Civil Work required) / 1 Stem drill & fix

Model No.: SIGB 01

Straight Grab Bar



Material	SS-304 Grade
Dimensions	600 x 32 mm
Application	WC Area
Size	600 mm
Fixing	Drill & Fix with Screw




Model No.: SIGB 02

Swing Grab Bar



Material	SS-304 Grade
Dimensions	750 x 215 x 300 x 100 mm
Application	WC Area
Size	750 mm
Fixing	Drill & Fix with Screw




Model No.: SIGB 03

U-Shaped Grab Bar



Material	SS-304 Grade
Dimensions	800 x 215 mm
Application	WC Area
Size	800 mm
Fixing	Drill & Fix with Screw




Model No.: SIGB 04

L Shaped Grab Bar




Material	SS-304 Grade
Dimensions	600 x 600 mm
Application	WC Area
Size	600 mm
Fixing	Drill & Fix with Screw




Model No.: SIGB 05

Urinal Safety Steel Grab Bar



Material	SS-304 Grade
Dimensions	600 x 32 mm
Application	Urinal Area
Size	600 mm
Fixing	Drill & Fix with Screw



**Signxpress India's
Stainless Steel Grab Bar
offers sturdy support and
safety in various settings.
Crafted from durable
stainless steel, it ensures
reliability and longevity,
ideal for bathrooms,
hospitals, and public facilities.**

ACRYLIC BRaille SIGNAGE 107



BRL-SIGN-ACR-107



Specifications : Base: 4 mm Letters: 1 mm
Raw Material : A-cast Matt Finish Acrylic Sheet
Standard Sizes : 150x230, 200x200, 450x450 (mm) & customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste / Screw
Colours Available : 

STAINLESS STEEL BRaille SIGNAGE 108



BRL-SIGN-SS-108



Specifications : 0.5 mm 304 Grade Matt Finish
Standard Sizes : 150x230, 200x200, 450x450 (mm) & customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste / Screw
Colours Available : 

ITC PAPERBOARD BRaille SIGNAGE 109



BRL-SIGN-ITC-109



Specifications : Base: 3 mm Letters: 2 mm
Raw Material : Matt Finish Paper Board
Standard Sizes : 150x230, 200x200, 450x450 (mm) & customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste / Screw
Colours Available : 

WOODEN BRaille SIGNAGE 110



BRL-SIGN-MDF-110




Specifications : Base: 3 mm Letters: 3 mm
Raw Material : Mdf Laminated
Standard Sizes : 150x230, 200x200, 450x450 (mm) & customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste / Screw
Colours Available : 

SS RAILING SIGNAGE 111



BRL-SS-RLNG-111




Specifications : 0.5 mm 304 Grade Matt Finish
Standard Sizes : 200x50 (mm) & customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste / Screw
Colours Available : 

TACTILE MAP - ACRYLIC BRaille SIGNAGE 112



BRL-SIGN-TMAP-112



Specifications : Base: 4 mm Letters: 1 mm
Raw Material : A-cast Matt Finish Acrylic Sheet
Standard Sizes : 48x36 inch & customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste / Screw
Colours Available : 

ATM BRAILLE BUTTONS 113

BRL-SIGN-SS-ATM-113



Specifications : 0.5 mm 304 Grade Matt Finish
Standard Sizes : 20X15 (mm) & customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste
Colours Available : 

BEFORE

AFTER



WITHOUT BRAILLE

WITH BRAILLE

EMERGENCY BRAILLE BELL 114

BLR-SIGN-BELL-114

EMERGENCY BELL
CORDLESS



EMERGENCY BELL
CORDLESS



PUSH BUTTON
TALKING BRAILLE SIGNAGE



ANNOUNCEMENT
SIGNAGE



TALKING TACTILE MAP 115

BRL-SIGN-TALK-MAP-115




Dimensions : 48x36 inch (Customize)
Material : Acrylic
Base : 4mm
Power Supply : AC/DC



Explore the world through fingertips

Getting the custom interior
BRAILLE SIGNS you need
is simple. We apply a
3-step process that streamlines
your order while ensuring
you're involved from start to finish.



Quality and Compliant Signage with a Speedy Turnaround

Quick Ship Signs Available for Shipping in Pan India
Orders of less than 15 signs 1-2 business days
15 to 40 signs 3-4 business days
Over 40 signs 5 business days
Free Shipping Delhi/NCR only



Step 1:

Quoting



Email our sales team at info@signxpressindia.com with specifications for your sign project. The more detail you provide, the better!

Step 2:

Proofing



After we've received confirmation that you have approved the quote provided, the order will then be moved into the graphics queue.

Step 3:


Production



The graphics team will then get your order set up for production and send it to the "floor" where the production team will take over.

BRAILLE LIFT BUTTONS 116

BRL-SIGN-SS-LIFT-116



Specifications : 0.5 mm 304 Grade Matt Finish
Standard Sizes : 20 X 20 (mm) & customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste
Colours Available : 



BRAILLE PUSH PULL 117

BRL-SIGN-SS-PP-117



Specifications : 0.5 mm 304 Grade Matt Finish
Standard Sizes : 6X2 inch & customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste
Colours Available : 



BRAILLE TAP BUTTONS 118

BRL-SIGN-SS-TAP-118




Specifications : 0.5 mm 304 Grade Matt Finish
Standard Sizes : Customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste
Colours Available : 



WATER DISPENSER BUTTONS 119

BRL-SIGN-SS-RO-119



Specifications : 0.5 mm 304 Grade Matt Finish
Standard Sizes : Customized
Braille Dots : 1.5 mm SS 304 Grade
Fixing : Peel & Paste
Colours Available : 



If your building is open to the public, you must comply with braille signage and make the building accessible friendly for person with disability.
(Under salient features of the rights of persons with disabilities act, 2016 section 40 to 46)

Did You Know?

BRAILLE SIGN 120

BRL-SIGN-120



BRAILLE SIGN 121

BRL-SIGN-121



BRAILLE SIGN 122

BRL-SIGN-122



BRAILLE SIGN 123

BRL-SIGN-123



BRAILLE SIGN 124

BRL-SIGN-124



BRAILLE SIGN 125

BRL-SIGN-125



BRAILLE SIGN 126

BRL-SIGN-126



BRAILLE SIGN 127

BRL-SIGN-127



BRAILLE SIGN 128

BRL-SIGN-128



BRAILLE SIGN 129

BRL-SIGN-129



BRAILLE SIGN 130

BRL-SIGN-130



BRAILLE SIGN 131

BRL-SIGN-131



BRAILLE SIGN 132

BRL-SIGN-132



BRAILLE SIGN 133

BRL-SIGN-133



BRAILLE SIGN 134

BRL-SIGN-134



BRAILLE SIGN 135

BRL-SIGN-135





**SIGN
XPRESS
INDIA®**

INNOVATIVE SAFETY SIGNAGES

FULLY CUSTOMIZED

@signxpressindia.com




REFLECTIVE SIGNAGE 157

REF-SIGN-EGP-UB-157



Dimensions : AS PER IRC / NHAI
Base : 3 mm ACP
Tape : EGP-UNBRANDED

REFLECTIVE SIGNAGE 158

REF-SIGN-EGP-158
EGP

CRAFOL 3M AVERY DENNISON

Dimensions : AS PER IRC / NHAI
Base : 3 mm ACP
Tape : EGP

REFLECTIVE SIGNAGE 159

REF-SIGN-HIP-IV-159
HIP TYPE-IV

CRAFOL 3M AVERY DENNISON

Dimensions : AS PER IRC / NHAI
Base : 3 mm ACP
Tape : HIP TYPE-IV

REFLECTIVE SIGNAGE 160

REF-SIGN-DG-XI-160
HIP TYPE-XI

CRAFOL 3M AVERY DENNISON

Dimensions : AS PER IRC / NHAI
Base : 3 mm ACP
Tape : DG TYPE-XI

STAINLESS STEEL
MS SIGN BOARD
FRAME WORKS

MS FRAME WORK 161

MS-FRAME-161



Dimensions : 25 mm & 35 mm
Enamel Paint : YES
Sizes : As Per IRC / NHAI

SS FRAME WORK 162

SS-FRAME-162




Dimensions : 50 (OD) TO 100 (OD)
Finish : Gloss and Matt (SS304)
Sizes : As Per IRC / NHAI

Sizes of Signs

Signs	Shape	Normal Size (mm)	Small Size (mm)
Mandatory			
i) Stop Sign	Octagonal	900	600
ii) Give way sign (Inverted)	Equilateral triangle	900	600
ii) Others	Circular	600	400
Warning	Equilateral Triangle	900	600
Informatory	Rectangle	800x600	600x450


Specifications

Substrate :	2mm thick Aluminium Sheet with degreasing treatment & fine grinding on front side for proper pasting of Reflective sheet & degreasing treatment & stove enamel paint on backside. or 3mm thick ACP (Aluminium Composite Panel)
Reflective Material	* Engineering Grade\Safety Grade * High Intensity Grade (Encapsulated Lens type) * High Intensity Prismatic HIP * Micro prismatic Lens (Diamond Grade/OMNI Grade Type VIII & IX)
Symbols/Messages / Lettering/Border:	Screen Printed/Cut-outs.




HIP TYPE IV

Code : HIP Type-IV
Colours : White, Yellow, Red, Orange, Blue, Green
Service Life : 7+ Years (ASTM D4956)

DIAMOND GRADE
DG TYPE XI

Code : Diamond Grade DG Type-XI
Colours : White, Yellow, Red, Blue, Green,
Flourescent Yellow, Yellow Green, Orange
Service Life : 10+ Years (ASTM D4956)



ELECTROCUT FILM (ECF)

Code : ECF
Colours : Yellow, Red, Orange, Blue, Green, Black, Brown
Dimensions : 1.22 m x 45.7 m

HIGH QUALITY RETRO
REFLECTIVE PRINTING

Code : HIP PRINT
Colours : White, Yellow, Red, Blue, Green,
Flourescent Yellow, Yellow Green, Orange
Service Life : 10+ Years (ASTM D4956)



SPEED BREAKERS

RUBBER SPEED BREAKER 163

RSB-163



Dimensions : 500x350x50 (mm)
Weight per meter : 16 kg
Nails/Hardware : Extra

RUBBER SPEED BREAKER 164

RSB-164



Dimensions : 500x415x50 (mm)
Weight per meter : 17 kg
Nails/Hardware : Extra

RUBBER SPEED BREAKER 165


RSB-165



Dimensions : 500x350x75 (mm)
Weight per meter : 27 kg
Nails/Hardware : Extra

RUBBER SPEED BREAKER 166

RSB-166



Dimensions : 500x425x75 (mm)
Weight per meter : 26 kg
Nails/Hardware : Extra

RUBBER SPEED BREAKER 167

RSB-167



Dimensions : 250x350x50 (mm)
Weight per meter : 16 kg
Nails/Hardware : Extra

RUBBER RUMBLER STRIPS 168

RRS-168



Dimensions : 500x125x25 (mm)
Weight per meter : 3 kg
Nails/Hardware : Extra

PLASTIC SPEED BREAKER 169

PSB-169



Dimensions : 250x350x50 (mm)
Weight per meter : 3.8 kg
Nails/Hardware : Extra

POLY SPEED BREAKER 170

PSB-170



Dimensions : 250x350x50 (mm)
Weight per meter : 3.8 kg
Nails/Hardware : Extra

HIGHWAY SPEED BREAKER 171

PSB-171



SPECIAL FOR HIGHWAY ROADS

Dimensions : 250x350x50 (mm)
Weight per meter : 11 kg
Nails/Hardware : Extra

PLASTIC SPEED BREAKER 172


PSB-172



Dimensions : 500x425x75 (mm)
Weight per meter : 3.5 kg
Nails/Hardware : Extra

PLASTIC SPEED BREAKER 173


PSB-173



Dimensions : 750x250x75 (mm)
Weight per meter : 8 kg
Nails/Hardware : Extra

PLASTIC RUMBLER STRIPS 174


PSB-174



Dimensions : 500x130x25 (mm)
Weight per meter : 2 kg
Nails/Hardware : Extra

CORNER GUARD U 175


RCG-175



Dimensions : 1200x100x100X15 (mm)
Weight : 4.15 kg
Screw/Hardware : Extra

CORNER GUARD U 176


RCG-176



Dimensions : 900x100x100X25 (mm)
Weight : 3.25 kg
Screw/Hardware : Extra

CORNER GUARD U 177

RCG-177



Dimensions : 1000x100x100X15 (mm)
Weight : 3.25kg
Screw/Hardware : Extra

CORNER GUARD L 178


RCG-178



Dimensions : 1000x100x100x12 (mm)
Weight : 3.18 kg
Screw/Hardware : Extra

CORNER GUARD L 179


RCG-179



Dimensions : 800x100x100x8 (mm)
Weight : 1.8 kg
Screw/Hardware : Extra

WALL GUARD 180

RWG-180



Dimensions : 1000x100x100x15 (mm)
Weight : 3 kg
Screw/Hardware : Extra

SAFE YOUR CAR TODAY!





RUBBER WHEEL CHOCK, DOCK BUMPER, WHEEL RAMP

RUBBER WHEEL CHOCK 181


RWC-181



Dimensions : 224x150x113 (mm)
Weight per Piece : 3kg

RUBBER WHEEL CHOCK 182


RWC-182



Dimensions : 250x170x182 (mm)
Weight per Piece : 6kg

RUBBER WHEEL CHOCK 183

RWC-183



Dimensions : 325x200x225 (mm)
Weight per Piece : 11kg

RUBBER PARKING BLOCK 184

RPB-184



Dimensions : 600x120x100 (mm)
Weight per Piece : 3kg
Nails/Hardware : Extra

PLASTIC WHEEL CHOCK 185

PWC-185



Dimensions : 470x230x200 (mm)
Weight per Piece : 3kg



RUBBER DOCK BUMPER R 186

RDB-R-186



Dimensions : 450x250x100 (mm)
Weight per Piece : 11 kg
Nails/Hardware : Extra

RUBBER DOCK BUMPER D 187

RDB-D-187




Dimensions : 500x150x150 (mm)
Weight per Piece : 11 kg
Nails/Hardware : Extra



RUBBER WHEEL RAMP 188

RWRAMP-188



**NEW
ARRIVAL**




Dimensions : 480x320x130 (mm)
Weight : 11 kg



SAFETY PRODUCTS

CABLE PROTECTOR 5C 189

RWC-189



Dimensions : 500x470x50 (mm)
Weight per piece : 20kg
Inside Details : 5 Cables x 25 mm

CABLE PROTECTOR 3C 190

RCP-190



Dimensions : 900x460x75 (mm)
Weight per piece : 12 Kg Approx
Inside Details : 3 Cables x 25 mm



EPOXY 191

EPOXY-191



Resin : Part A - 6 Kg Resin
Hardener : Part B - 1 Kg Hardener
Used for : Road Safety Products

CAR WHEEL LOCK 192

CWL-192



Dimension : 480 (H) x 253 (W)
Tyre Size : 35 mm to 275 mm
Material : MS Metal
Weight : 2 Kg Approx



BATON LIGHT 28R 193

BATON-28R-193



Dimensions : 28 cm
Charger : Included
Magnetic base : Yes
Features : Red, Green, Flashing & Torch

BATON LIGHT 52R 194

BATON-52R-194



Dimensions : 52 cm
Charger : Included
Magnetic base : No
Features : Red, Green, Flashing & Torch

BATON LIGHT STOP GO 195

BATON-STOPGO-195



Dimensions : 19 cm Radius
Options : Rechargeable

BATON LIGHT 28B 196

BATON-196



Dimensions : 28 cm
Batteries : Not Included
Magnetic base : Yes
Features : Red, Green, Flashing & Torch

BATON LIGHT 52B 197

BATON-52B-197



Dimensions : 52 cm
Batteries : Not Included
Magnetic base : No
Features : Red, Green, Flashing & Torch



SAFETY PRODUCTS

CONVEX MIRROR 198

CNVX-100-198



Dimensions : 100 cm / 1000 mm / 39 inch
Weight : 5 kg

CONVEX MIRROR 199

CNVX-80-199



Dimensions : 80 cm / 800 mm / 32 inch
Weight : 3 kg



CONVEX MIRROR 200

CNVX-60-200



Dimensions : 60 cm / 600 mm / 24 inch
Weight : 2.5 kg

CONVEX MIRROR 201

CNVX-40-201



Dimensions : 40 cm / 400 mm / 18 inch
Weight : 1.5 kg



SPRING POST DELINEATOR 202

SP-POST-PVC-A
SP-POST-PU-B



Dimension : 750 mm x 200 mm
Weight : 1 Kg Approx
Nails/Hardware : Extra



CAUTION BOARD 203

COTN-BOARD




Dimensions : 750 mm x 1000 x 400 mm
Weight : 1.5 kg Approx



SAFETY PRODUCTS

TRAFFIC CONE 204

CONE-750
CONE-1000



Dimensions : 750 mm x 400 mm (1.5 kg)
1000 mm x 400 mm (4 kg)

TRAFFIC CONE 205

CONE-LW
CONE-HW



Dimensions : 750 x 380 (mm)
Weight LW : Light Weight 2.5 kg
Weight HW : Heavy Weight 3.5 kg

TRAFFIC CONE HEXAGONAL 206

CONE-HEXA-206



Dimensions : 750 x 430 (mm)
Weight : 3.8 kg

MESSAGE BOARD 207

CONE-MSG-BRD-207



Dimensions : 410 x 360 x 210 (mm)
Message on Board : Customized

PLASTIC LINK CHAIN 208

CHAIN-208



Thickness : 8 (mm)
Length : 10 meter

SAFETY HELMET 209

HLMT-209



JACKET-210

JACKET-210



SIZE : S,M,L,XXL
COLOUR : ORANGE, GREEN

JACKET-211

JACKET-211



SIZE : S,M,L,XXL
COLOUR : ORANGE, GREEN

JACKET-212

JACKET-212



SIZE : S,M,L,XXL
COLOUR : ORANGE, GREEN



RAISED PAVEMENT MARKER - ROAD STUD

ABS ROAD STUD 219

ABS-RPM-M-3M-ILC-219

3M




Colours : Red / White / Yellow / Red+White
Dimension : 100x90x18 mm
Direction : Two way prismatic reflector

ABS ROAD STUD 220

ABS-RPM-3M-IS-220

3M



Colours : Red / White / Yellow / Red+White
Dimension : 100x90x18 mm
Direction : Two way prismatic reflector

ABS ROAD STUD 221

ABS-RPM-3M-TMDS-221


3M



Colours : Red / White / Yellow / Red+White
Dimension : 100x90x18 mm
Direction : Two way prismatic reflector

ABS ROAD STUD 222


RPM-ABS-222



Colours : Red / White / Yellow / Red+White
Dimension : 100x90x18 mm
Direction : Two way prismatic reflector

ABS ROAD STUD 223


RPM-TMDS-223



Colours : Red / White / Yellow / Red+White
Dimension : 100x90x18 mm
Direction : Two way prismatic reflector

ABS ROAD STUD 224

RPM-SQR-224



Colours : Red / White / Yellow / Red+White
Dimension : 100x100x20 mm
Direction : Two way prismatic reflector

ABS ROAD STUD 225

ABS-RPM-NG-225



Colours : Red / White / Yellow / Red+White
Dimension : 100x100x20 mm
Direction : Two way prismatic reflector

ABS ROAD STUD 226

ABS-RPM-NG-226



Colours : Red / White / Yellow / Red+White
Dimension : 100x100x20 mm
Direction : Two way prismatic reflector

ABS ROAD STUD 227

ABS-RPM-NG-227



Colours : Red / White / Yellow / Red+White
Dimension : 100x90x18 mm
Direction : Two way prismatic reflector

ABS ROAD STUD 228

ABS-RPM-NG-228



Colours : Red / White / Yellow / Red+White
Dimension : 100x90x18 mm
Direction : Two way prismatic reflector




SOLAR ROAD STUD - ROAD FURNITURE

SOLAR ROAD STUD 229

SOL-STD-229

1 year warranty



Dimensions : 125X125X25 (mm)
IPS 68 : Yes
Load Capacity : 20 Tons

SOLAR ROAD STUD-SI 230

SOL-STD-230

1 year warranty



Dimensions : 125X125X25 (mm)
IPS 68 : Yes
Load Capacity : 20 Tons

SOLAR ROAD STUD NG 231

SOL-STD-NG-231

1 year warranty



Dimensions : 125X125X25 (mm)
IPS 68 : Yes
Load Capacity : 20 Tons

SOLAR ROAD STUD NG ABS 232

ABS-SOLAR-232


1 year warranty



Dimensions : 360 degree
IPS 68 : Yes
Load Capacity : 20 Tons

ALUMINIUM ROAD STUD 233


AL-RPM-233



Features : Two way prismatic reflector
Dimension : 110x100x20 mm
Fixing : With Shank / Nail

ALUMINIUM ROAD STUD 234

AL-RPM-234



Features : Two way 43 Glass Beads
Dimension : 110x100x20 mm
Fixing : With Shank / Nail

ALUMINIUM ROAD STUD 235


AL-RPM-235



Features : Two Way 21 Glass Beads
Colours : Red / Whit / Yellow / Red+White
Dimension : 100x100x20 mm
Fixing : With Shank / Nails

ALUMINIUM ROAD STUD 236

AL-RPM-236



Features : Two way prismatic reflector
Dimension : 100x100x20 mm
Fixing : With Shank

ALUMINIUM ROAD STUD 237

AL-RPM-569-TORTOISE-237



Features : Two way 21 Glass Beads (7x3)
Dimension : 100x75x20 mm
Fixing : With Nail

GUARD RAIL REFLECTORS 238

GRR-238

Tape Using



Material : GI metal sheet
Reflective : HIP Type-IV, DG Type-XI, Type-I
Features : Guard Rail Medians

GUARD RAIL REFLECTORS 239

GRR-239

With Custom Logo



Tape : Fluorescent Type-IV HIP
Reflection : Both Side Reflective
Material : Thermoplastic Body

MEDIAN MARKER PLASTIC 240

3M-FMM-240



Tape : Fluorescent Type-XI DG-3
Reflection : Both Side Reflective
Features : Full Flexible

ROAD SAFETY PRODUCTS

WARNING REFLECTOR 241

WARING-REFL-241



Dimension : 165 x 165 x 165 mm Triangle
Colour : Red
Weight : 72 g
Best for : Auto / Truck / Bus / Tractor

**EXCLUSIVE
RANGE !!**


BEST PRICE! GUARANTEED!

SAFETY FIRST!

Get a free quote today.

SOLAR DELINEATOR 242

SOL-DEL-CLAMP-242



Features : 74 times flashing per minute
Colours : Red
Dimension : H-150 mm, Dia-90 mm
Voltage : 1.2 Volts, 1200mAH
Panel : 2.5 Volts 120mA

TRAFFIC SOLAR BLINKER 243

SOLBLINK-243



Solar Cell: 15W [Type: Mono Crystalline, Voltage: 18V/900mA]

Battery Type: Plumbic Acid [Voltage: 12V]

LED: Size: 5 mm - 172 LED, or as required.

luminous intensity: 8000 - 9000 mcd.

iC frequency: 38-40/minute.

Operating Time: Sustain Power Supply continuously for over 4 days when in the wet or rainy days after full-charging.

Temperature Range: -20 °C to + 70 °C.

Warranty years: 1 year.

Service Life: Over 3 years if used in an efficient way.

Application: Dangerous Roads.

Material: pC plastic anti-uv material.



Q-MANGER GOLDEN 244

QMR-SS-GOLD




Material : SS 202
Weight : 8.5 kg
Custom Logo : Yes Available



GOLDEN
1000 mm

Q-MANGER SILVER 245

QMR-SS-SLIVER-A
QMR-SS-SLIVER-B



Material : SS 202
Weight : 8 kg
Custom Logo : Yes Available




**Best Solution for
Long Queues**



DELINEATORS

DELINEATOR 3M IRC 246

DEL-IRC-3M-246



Height : 1000 mm
Width : 100 mm
Weight : 2.5 Kg Approx
Tape : 3M Type-XI



DELINEATOR IRC 247

DEL-IRC-247



ORAFOL AVERY DENNISON

Height : 1000 mm
Width : 100 mm
Weight : 2.5 Kg Approx
Tape : EGP, Type-IV, Type-XI



DELINEATOR WITH JAALI 248

DEL-MS-JAALI-248




ORAFOL AVERY DENNISON 3M

Height : 750, 1000, 1200 mm
Pipe Dia : 48 mm, 65 mm, 85 mm, 100 mm
Jaali : MS Jaali with Powder Coating
Tape : HIP, EGP, Radium Tape

DELINEATOR 480D YELLOW 249


DEL-REF-249



Height : 750 mm / 1000 mm / 1200 mm
Dia : 48 mm Outer Dia
Reflectors : 2 Way Acrylic Prismatic Reflector
Colours : Yellow & Orange

DELINEATOR 650D YELLOW 250


DEL-REF-250



Height : 750 mm / 1000 mm / 1200 mm
Dia : 65 mm Outer Dia
Reflectors : 2 Way Acrylic Prismatic Reflector
Colours : Yellow & Orange

DELINEATOR SOLAR 251

DEL-SOLAR-251



Height : 1000 mm
Dia : 48 mm Outer Dia
Reflectors : 74 flash/per/minute
Voltage : 1.2 V, 1200mAh

MS BOLLARD 252

BLRD-252



Height : 800 mm
Dia : 90 mm
Base Plate : 175 mm
Reflective : 75 mm x 2 bends of HIP
Weight : 4.5 kg Approx

MS BOLLARD 253

BLRD-253



Height : 750 mm
Dia : 90 mm
Base Plate : 175 mm
Reflective : 25 mm x 4 bends of HIP
Weight : 4 kg Approx

MS BOLLARD 254

BLRD-254



Height : 800 mm
Dia : 90 mm
Base Plate : 175 mm
Reflective : 25 mm x 4 bends of HIP
Weight : 4 kg Approx

OUR PRODUCTS



- ✓ Pu Tactile Tiles Self-Adhesive Tape
- ✓ Stainless Steel Tactile Tiles Self-Adhesive Tape
- ✓ Acrylic Braille Signage & Tactile Map
- ✓ Stainless Steel Braille Signage & Tactile Map
- ✓ Fire & Safety Signages
- ✓ Emergency Evacuation Plan Signage
- ✓ Q-Manager with Custom Logo
- ✓ Floor Marking Tape
- ✓ Malls, office, Showroom Signages
- ✓ Airport, Railway, Metro, Bus stop Signages
- ✓ Indoor & Outdoor Digital Window Poster
- ✓ Led Acrylic Letter Sign Board
- ✓ Parking & Warehouse Safety Products
- ✓ IRC & NHAI Road Safety Sign Board
- ✓ ABS Road Studs
- ✓ Aluminium Road Studs
- ✓ Solar Studs
- ✓ Flexible Median Marker
- ✓ Metal Delineator (customised)
- ✓ IRC Delineator
- ✓ Anti Glare Barricades
- ✓ Epoxy Adhesive
- ✓ Rubber Corner Guard
- ✓ Plastic Speed Breaker
- ✓ Rubber Speed Breaker
- ✓ Reflective Sign Board
- ✓ Solar Traffic Blinker
- ✓ Thermoplastic Road Marking



Corporate Office:

RZ-8 Mahendra Park, Uttam Nagar East,
C1 Janakpuri, New Delhi-110059. (India)

Website:

www.signxpressindia.com
www.signxpressindia.in

GST No:

07ABKPH4628N2Z8

ISO Certifications: ISO: 23599:2019, ISO: 14001:2015, ISO: 9001:2015

Contact:

Landline : (011) 45527272 - (011) 35698644

Email:

info@signxpressindia.com

Registered-MSME/MCD:

UDYAM-DL-06-0012360
SGTL0922288719

Feedback & Suggestions:

+91 9810032137



Follow us:

